

PVG's  
**Muktangan English School & Jr. College, Pune - 9**  
**Preliminary Examination (2024-25)**  
**STD XII**

---

Subject : Physics  
Date : 08.01.2025

Marks - 70  
Time : - 8.15 - 11.15 am

---

**General Instructions :**

The question paper is divided into four sections.

- 1) Section A : Q.1 contains 10 multiple choice type questions carrying 1 mark each.  
Q.2 contains 8 very short answer type questions carrying 1 mark each.
  - 2) Section B : Q.3 and Q.14 contains twelve short answer type questions carrying 2 marks each (attempt any eight)
  - 3) Section C : Q.15 to Q.26 contains twelve short answer type questions carrying 3 marks each (Attempt any eight)
  - 4) Section D : Q.27 to Q.31 contains five long answer type questions carrying 4 marks each (Attempt any three)
  - 5) For multiple choice type of question, only first attempt will be considered for evaluation.
  - 6) Symbols have usual meaning unless and otherwise stated.
  - 7) Draw the diagrams wherever necessary.
  - 8) Figures to the right indicate full marks.
  - 9) Use of log table is allowed. Used of calculator is not allowed.
  - 10) Physical constants:
    - i)  $g = 9.8 \text{ m/s}^2$
    - ii)  $\pi = 3.142$
    - iii)  $\mu_0 = 4\pi \times 10^{-7} \text{ wb/Am}$
    - iv)  $h = 6.63 \times 10^{-34} \text{ Js}$
- 

**Section A**

**Q.1 Select and write the most appropriate answer from the given alternatives for each sub-question. (10)**

- i) Surface tension of a liquid is numerically equal to \_\_\_\_\_
  - a) surface energy
  - b) surface energy per unit length
  - c) surface energy per unit area
  - d) surface energy per unit volume
- ii) Total degrees of freedom of one rigid molecule of a diatomic gas at normal temperature is \_\_\_\_\_
  - a) 5
  - b) 3
  - c) 7
  - d) 4



- vii) A motor cyclist ( to be treated as point mass) is to undertake horizontal circles inside the cylindrical wall of a well of inner radius 4 m. Coefficient of static friction between the tyres and the wall is 0.4. Calculate the minimum speed to perform this stunt.
- viii) A circular coil of conducting wire has 500 turns and an area  $1.26 \times 10^{-4} \text{ m}^2$  is enclosed by the coil : A current  $100 \mu\text{A}$  is passed through the coil. Calculate the magnetic moment of the coil.

### Section B

**Attempt any eight questions**

**(16)**

- Q.3** Write uses of potentiometer (Any 2)
- Q.4** State two applications of Bernoulli's equations.
- Q.5** Differentiate between centripetal force and centrifugal force (Any 2 points)
- Q.6** Define mechanical equilibrium and chemical equilibrium
- Q.7** Draw and label Vande Graff generator.
- Q.8** Using cyclotron formula derive equation of frequency of Cyclotron.
- Q.9** Derive an expression for radius of Bohr's orbit.
- Q.10** Calculate the value of  $\lambda_{\text{max}}$  for solar radiation assuming that surface temperature of the sun is 5800 K ( $b = 2.897 \times 10^{-3} \text{ mK}$ ). In which part of the electromagnetic spectrum, does this value lie?
- Q.11** The total energy of a particle of mass 200 g, performing SHM is  $10^{-2} \text{ J}$ . Find its maximum velocity.
- Q.12** Write the equation of a simple harmonic progressive wave of amplitude 0.02m and period 0.04 s travelling along the positive X-axis with velocity 12.5 m/s.
- Q.13** A capacitor of capacitance  $0.5 \mu\text{F}$  is connected to a source of alternating emf of frequency 100 Hz . What is the capacitive reactance? ( $\pi = 3.142$ )
- Q.14** What is the de Broglie wavelength of an electron accelerated through 2500 volt?

### Section C

**Attempt any eight questions:**

**(24)**

- Q.15** Derive an expression for time period of a conical pendulum.
- Q.16** Show that all harmonics are present as overtones in the modes of vibrations of air column open at both ends (Draw diagrams)
- Q.17** With the help of a neat ray diagram, explain laws of reflection on the basis of Huygen's wave theory of light.
- Q.18** What are i) isotopes ii) isobars and iii) isotones.
- Q.19** Draw a neat labelled circuit diagram of transistor in common emitter configuration. And write the relation (equation) between  $\alpha$  &  $\beta$ .

- Q.20** Explain thermodynamics of Isothermal process. (Draw necessary P-V diagram)
- Q.21** Show that electrical potential energy (U) of the capacitor is,  $U = (1/2) (Q^2/C)$
- Q.22** A capillary tube of radius 0.5 mm is dipped vertically in a liquid of surface tension 0.04 N/m and relative density 0.8 g/cc. Calculate the height of capillary rise if the angle of contact is  $10^\circ$ . ( $g = 9.8 \text{ m/s}^2$ )
- Q.23** At what distance (x) from the mean position is the K.E of a particle performing SHM of amplitude 8 cm, three times its PE ?
- Q.24** A galvanometer with a coil of resistance  $40 \Omega$  gives a full scale deflection for a current of 5 mA. How will you convert it into an ammeter of range 0-5 A?
- Q.25** A coil of self inductance 5H is connected in series with a switch and a battery. After the switch is closed the steady state value of the current is 5A. The switch is then suddenly opened, causing the current to drop to zero in 0.2s. Find the emf developed across the inductance as the switch is opened.
- Q.26** In nuclear reactor neutrons travel with energies of  $5 \times 10^{-21} \text{ J}$ . Find their speed and wavelength. (given :  $m_n = 1.67 \times 10^{-27} \text{ kg}$ )

### Section D

**Attempt any three questions** **(12)**

- Q.27** What is transformer? Explain its construction and working. Derive transformer equation.
- Q.28** With the help of a neat ray diagram, derive an expression for path difference in case of a double slit experiment.
- Q.29** i) State the formulae for the following.  
 a) average power in LCR circuit  
 b) Q- Factor  
 ii) A 100 mH inductor, a  $25 \mu\text{F}$  capacitor and  $15 \Omega$  resistor are connected in series to 120 V, 50 Hz AC source. Calculate impedance of the circuit at resonance.
- Q.30** i) Draw a neat labelled diagram of Ferry's Black Body.  
 ii) At 300 K what is the rms speed of He-atom?  
 (Given : mass of He-atom =  $6.64 \times 10^{-27} \text{ kg}$ ,  $K_B = 1.38 \times 10^{-23} \text{ J/K}$ )
- Q.31** i) Derive the expression for time period of angular oscillations of the bar magnet.  
 ii) Calculate the gyromagnetic ratio of electron.  
 (Given :  $e = 1.6 \times 10^{-19} \text{ C}$ ,  $M_e = 9.1 \times 10^{-31} \text{ kg}$ )

